



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/676,098	09/29/2000	Hossein David Akhond	004860.P1738C	2656
8791	7590 06/15/2004		EXAMINER	
BLAKELY SOKOLOFF TAYLOR & ZAFMAN			LAO, SUE X	
12400 WILSHIRE BOULEVARD, SEVENTH FLOOR LOS ANGELES, CA 90025		ENTH FLOOK	ART UNIT	PAPER NUMBER
	,		2126	
			DATE MAILED: 06/15/2004	4 0

Please find below and/or attached an Office communication concerning this application or proceeding.

f

`						
	Application No.	Applicant(s)				
Office Action Commence	09/676,098	AKHOND ET AL.				
Office Action Summary	Examiner	Art Unit				
	S. Lao	2126				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, - Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). Status	88(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days fill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
1) Responsive to communication(s) filed on 26 M	<u>farch 2004</u> .					
2a)⊠ This action is FINAL . 2b)□ Thi	s action is non-final.					
3) Since this application is in condition for allowat closed in accordance with the practice under a Disposition of Claims						
4) Claim(s) 1-34 is/are pending in the application						
4a) Of the above claim(s) is/are withdray	vn from consideration.					
5) Claim(s) is/are allowed.	☐ Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1-9, 11-13, 15-19, 21, 23-32</u> is/are rej	6)⊠ Claim(s) <u>1-9, 11-13, 15-19, 21, 23-32</u> is/are rejected.					
7) Claim(s) 10,14,20,22,33 and 34 is/are objected	r)					
8) Claim(s) are subject to restriction and/or	relection requirement.					
Application Papers	•					
9) The specification is objected to by the Examine						
10) The drawing(s) filed on is/are: a) accept	•					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner.						
If approved, corrected drawings are required in reply to this Office action. 12)☐ The oath or declaration is objected to by the Examiner.						
Priority under 35 U.S.C. §§ 119 and 120						
13) Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. & 119(a)-(d) or (f)				
a) ☐ All b) ☐ Some * c) ☐ None of:	priority under de d.c.d. 3 1 refu	, (d) 51 (1).				
1. ☐ Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
Copies of the certified copies of the prior application from the International But See the attached detailed Office action for a list.	ity documents have been receive reau (PCT Rule 17.2(a)).	ed in this National Stage				
14) Acknowledgment is made of a claim for domestic	c priority under 35 U.S.C. § 119(e	e) (to a provisional application).				
a) ☐ The translation of the foreign language pro 15)☐ Acknowledgment is made of a claim for domesti						
Attachment(s)						
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s) 3	5) Notice of Informal F	(PTO-413) Paper No(s) Patent Application (PTO-152)				

Art Unit: 2126

DETAILED ACTION

1. Claims 1-34 are pending. This action is in response to the amendment filed 3/26/2004. Applicant has amended claims 4, 6, 15, 17, 25, 28, 30, 33, 34.

- 2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 3. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970);and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

4. Claims 1-9, 11, 15, 17, 23, 25, 26-32, 34 are rejected under the judicially created doctrine of obviousness - type double patenting as being unpatentable over claims 1-9 of U.S. Patent No. 6,173,337 to Akhond et al. Although the conflicting claims are not identical, they are not patentably distinct from each other. In particular, as to claim 1, U.S. Patent No. 6,173,337 teaches a computer-related method for processing, with a preferred processing application program (preferred electronic mail processing

Art Unit: 2126

application program) having a preferred identifier (preferred identifier), an event (event) associated with an object (object) generated by a dedicated creator application program (dedicated creator electronic mail application program) having a dedicated identifier (dedicated identifier), the method comprising: causing a relay application program (relay application program) to assume the dedicated identifier (having the dedicated identifier); intercepting (intercepting) the event (event) with the relay application program; and forwarding (forwarding), with the relay application program, the intercepted event to the preferred processing application program, wherein the event would otherwise be directed to a dedicated processing application program having the dedicated identifier. See U.S. Patent No. 6,173,337, claim 1, lines 1-15.

As to claim 2, U.S. Patent No. 6,173,337 teaches (see claim 2, lines 1-6) identifying the preferred processing application program; launching the preferred processing application program; and sending the intercepted event to the preferred processing application program.

As to claim 3, U.S. Patent No. 6,173,337 teaches (see claim 3, lines 1-6) installing the relay application program; installing a selection application program; and selecting, with the selection application program, the preferred processing application program.

As to claim 4, U.S. Patent No. 6,173,337 teaches (see claim 4, lines 1-3) identifying the preferred an application program has a creator type and the dedicated identifier corresponds to a first creator type of the dedicated processing application program. See claim 4, lines 1-3.

As to claim 5, U.S. Patent No. 6,173,337 teaches (see claim 5, lines 1-3) the preferred identifier corresponds to a second creator type of the preferred processing application program.

As to claim 6, U.S. Patent No. 6,173,337 teaches (see claim 6, lines 1-3, 6-11) receiving an install command; changing the creator type for all application programs having the first creator type to a third creator type; placing the relay application pram in condition for launching at a predetermined time; and providing user accessibility to the selection application program via a selection graphic user interface (GUI).

Art Unit: 2126

As to claim 7, U.S. Patent No. 6,173,337 teaches (see claim 5, lines 1-2) system initialization time.

As to claim 8, U.S. Patent No. 6,173,337 teaches (see claim 5, lines 1-4) placing the relay application program into a memory (first location).

As to claim 9, U.S. Patent No. 6,173,337 teaches (see claim 5, lines 1-4) placing the selection application program into a memory (second location).

As to claims 11, 17, note discussion of claims 1 and 3. Processor, memory, display and I/O system would have been inherent.

As to claim 15, note discussion of claims 1 and 6.

As to claim 23, note discussion of claim 3.

As to claim 25, note discussion of claim 1.

As to claims 26-32, 34, note discussions of claims 2-9, respectively.

5. Claims 1, 2, 4, 5, 25, 26, 28, 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Trissel et al (U S Pat. 5,274,815) in view of IBM TDB ("Tracing the Exported Entry Points in an OS/2 Dynamic Link Library").

As to claim 25, Trissel teaches relay application (modifying program), dedicated creator application / dedicated processing application (target program), and executable instructions for

intercepting (intercept), with the relay application (modifying program), an event (reads, writes) associated with an object (code/instruction) generated by the dedicated creator application (target program), and

forwarding (branch/jump to), with the relay application, the intercepted event to a preferred processing application (surrogate code, col. 6, lines 35-46), wherein the event would otherwise be directed to the dedicated processing application [It is noted that without the interception the reads/writes would be processed by the unmodified target program.]. See col. 10, lines 5-24, 56-68; col. 11, lines 1-20; fig. 6.

Trissel teaches the target program includes applications, such as a spreadsheet program, to perform data I/O operations, wherein the data I/O operations (events) are created/initiated by the spreadsheet program (the data request portion of the program)

Art Unit: 2126

and are processed by the spreadsheet program (data reception portion of the program). See col. 4, lines 29-49; col. 6, lines 1-5; col. 10, line 56 - col. 11, line 20. In other words, the target program creates the event, thus being the dedicated creator application, and processes the event, thus being the dedicated processing application. The dedicated creator application and the dedicated processing application are commonly identified as the target program.

Storing the executable instructions onto computer readable medium would have been obvious. Trissel does not teach causing the relay application to assume a dedicated identifier for a dedicated creator application / dedicated processing application.

IBM teaches event (call) interception and processing, wherein an intercepting relay application (MYTRACE) assumes a dedicated identifier (MYTRACE is re-named IBMAPPL) for a dedicated creator application / dedicated processing application (IBMAPPL). See page 2, 2nd para.. Therefore, it would have been obvious to cause the relay application of Trissel to assume a dedicated identifier for a dedicated creator application / dedicated processing application. One of ordinary skill in the art would have been motivated to combine the teachings of Trissel and IBM because this would have provided a mechanism to monitor performance of the target program in a more user friendly fashion by not requiring a user to have detailed knowledge of the source code (IBM, page 1, 1st para.), which is desirable in Trissel (Trissel, col. 2, lines 21-22; col. 9, lines 16-23).

As to claim 1, note discussion of claim 25.

As to claims 2, 26, note discussion of claim 25 for sending/forwarding. Trissel further teaches identifying the preferred processing application program (find instructions that require modification by surrogate code), launching the preferred processing application program (create surrogate code). See col. 10, lines 5-24; col. 11, lines 1-20.

As to claims 4, 5, 28, 29, Trissel as modified teaches (IBM) an application program has a creator type (IBMAPPL, MYTRACE) and the dedicated identifier corresponds to a first creator type (IBMAPPL) of the dedicated processing application

Art Unit: 2126

program, the preferred identifier corresponds to a second creator type (MYTRACE) of the preferred processing application program. See entire text of IBM reference.

6. Claims 3, 11-13, 15-19, 21, 23, 24, 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Trissel et al in view of IBM TDB as applied to claims 1, 25 and further in view of Root (U S Pat. 5,606,674).

As to claims 3, 27, Trissel teaches installing the relay application program (activate modifying program, col. 4, lines 50-66). Trissel does not teach installing a selection application program and selecting, with the selection application program, the preferred processing application program.

Root teaches event relaying (ink data redirecting), including installing a selection application program (generate redirector window/program) and selecting with the selection application program (user selects via redirector window), a preferred processing application program (target program) to receive event data. See col. 10, lines 22-37. Therefore, it would have been obvious to install a selection application program with which the preferred processing application is selected. One of ordinary skill in the art would have been motivated to combine the teachings of Trissel as modified with Root because this would have provided portability of data structures according to a particular metaphor to the preferred processing application / target program that does not support that particular metaphor (Root, col. 2, lines 44-49), a feature desirable to Trissel (col. 9, liens 24-58).

As to claim 11, note discussion of claim 25 and the equivalence of preferred processing module / preferred processing application, dedicated creator module / dedicated creator application, module for relaying / relay application, dedicated processing application module / dedicated processing application. Further note claim 3 for module for selecting / selection application program. Trissel further teaches memory (14), processor (12), I/O system (I/O ports), and Root teaches display (105). Trissel as modified teaches (Root) module for selecting (redirector window/program) used to select a preferred processing module (target program) (col. 10, lines 22-37). See discussion of claim 3 for detailed discussion. The module for selecting would have been

Art Unit: 2126

logically coupled to the preferred processing and the relay modules in order to interact with and to perform its selection service for the relay module.

As to claim 12, Trissel as modified teaches (Root) a module for relaying receives a preferred module identification signal from the module for selecting (user selected target program) (see discussion of claim 3).

As to claim 13, Trissel teaches the relay program activating the preferred processing module (create surrogate code, See col. 10, lines 5-24; col. 11, lines 1-20).

As to claim 15, note discussions of claim 25 for relay application program, claim 3 for selection application program, and claim 3 for installing the relay application program and the selection application program. Note discussion of claim 25 for assuming a dedicated identifier.

As to claim 16, Trissel teaches using an operating system program (control program) to activate (load) a relay application program. See col. 3, lines 50-64; col. 5, lines 8-14.

As to claim 17, it corresponds to claim 11 and thus note claim 11 for discussion.

As to claim 18, Trissel as modified teaches installing the module for relaying (activate modifying program, Trissel, col. 4, lines 50-66) and installing the module for selecting (generate redirector window/program, Root, col. 10, lines 22-37.) (See discussion of claim 3). It is noted that for the installation module to install/load the module for relaying and the module for selecting, the installation module would necessarily need to be coupled to the two modules.

As to claim 19, IBM teaches the relaying module/program (MYTRACE) is implemented in a DLL format (MYTRACE.DLL). See discussion of claim 25 for detail. The selection module/program provides an integral part of the relaying/redirecting function, and therefore it would have been obvious to also implement the selection module/program in a DLL format. A DLL (dynamic link library), by definition, is loaded/installed when needed and unloaded/de-installed/de-coupled when no longer needed. Accordingly, it would have been obvious to decouple the module for relaying and the module for selecting when they are no longer needed.

As to claim 21, note discussion of claim 19.

Page 8

Application/Control Number: 09/676,098

Art Unit: 2126

As to claim 23, note discussion of claim 18. As to claim 24, note discussion of claim 19.

- 7. Claims 10, 14, 20, 22, 33, 34 would be allowable if rewritten to overcome the respective rejections under 35 U.S.C. 112, second paragraph, set forth in this Office action and to include all of the limitations of the respective base claims and any intervening claims.
- 8. Applicant's arguments filed 3/26/2004 have been fully considered but they are not persuasive.

Applicant argued in substance that the combination of Trissel and IBM does not teach the dedicated creator, dedicated processing applications have the same dedicated identifier and the relay application assumes the identifier, whereas the combination of Trissel and IBM has only two programs with the same identifier. (remarks, page 11-12).

The examiner respectfully disagrees. First, the claim language does not require, or preclude, two, or three, programs. Instead, the claim language requires a dedicated event creator application and a dedicated event processing application, with a common/same dedicated identifier. See claim 25 for example. Second, In Trissel, the target program includes applications, such as a spreadsheet program, to perform data I/O operations, wherein the data I/O (events) are created/initiated by the spreadsheet program (the data request portion of the program) and are processed by the spreadsheet program (data reception portion of the program). See col. 4, lines 29-49; col. 6, lines 1-5; col. 10, line 56 - col. 11, line 20. In other words, the target program creates the event, thus being the dedicated creator application, and processes the event, thus being the dedicated processing application. The dedicated creator application and the dedicated processing application in Trissel are commonly identified as the target program (dedicated identifier). Therefore, Trissel meets the dedicated creator application, the dedicated processing application and the common/same dedicated identifier as claimed. The relay application assuming the same identifier is

Page 9

Application/Control Number: 09/676,098

Art Unit: 2126

met by IBM who teaches an intercepting relay application (MYTRACE) assumes a dedicated identifier (MYTRACE is re-named IBMAPPL) for a dedicated creator application / dedicated processing application (IBMAPPL). See page 2, 2nd paragraph, as discussed with respect to claim 25.

Applicant further argued, regarding the motivation to combine the teachings of Trissel and IBM, that IBM discloses that the user would need detailed knowledge of the source code because the creation of the stub DLL requires the user to know the names and input parameter lists for each DLL entry point. (Remarks, page 11, 1st paragraph).

The examiner respectfully disagrees. One of ordinary skill in the art would recognize that the names and input parameters for a DLL entry point specifies the interface definition of a function, rather than the programming code in the body of the function. The interface definitions are commonly ready available in vendor's technical documentation, whereas the program code contained in the body of a DLL function is not. Detailed knowledge of the source code refers to the actual program code contained in the body of a function, rather than its interface definition, in the software programming art. Therefore, IBM does not require a user to have detailed knowledge of the source code (IBM, page 1, 1st para.).

For these reasons, applicant's arguments are not persuasive.

9. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for response to this final action is set to expire THREE MONTHS from the date of this action. In the event a first response is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event will the statutory period for response expire later than SIX MONTHS from the date of this final action.

Art Unit: 2126

Page 10

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sue Lao whose telephone number is (703) 305-9657. A voice mail service is also available at this number. The examiner's supervisor, SPE John Follansbee, can be reached on (703) 305-8498. The examiner can normally be reached on Monday - Friday, from 9AM to 5PM. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 746-7238 for After Final communications, (703) 746-7239 for Official communications and (703) 746-7240 for Non-Official/Draft communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-9600.

Sue Lao Sue Low

June 10, 2004